



MOGGILL CREEK CATCHMENT GROUP

P.O. Box 657, Kenmore. 4069

THE HISTORICAL LIST OF BIRDS WITHIN THE MOGGILL CREEK CATCHMENT (210 Bird Species) 1909 TO 2017

Bird Species Taxonomic Order ^g	BA No. ^e	First Record of Each Species within the Moggill Creek Catchment	Latest Record of Each Species within the Moggill Creek Catchment	Number of Records of Each Species within the 30 BA Surveys ^a 1909 - 1977	Number of Records of Each Species within the 261 BA Surveys ^c 1998 - 2016	Number of Records of Each Species within the 230 BQ Entries ^b 1966 - 2012	Number of Records of Each Species within the 62 UQ Surveys ^d 2001 - 2011	Number of Records of Each Species within the eBIRD Surveys ^h 2012 - 2016	Current 2017 MCC BIRD LIST Criteria: Observed in MCC in Last five years	Notes
Australian Brush-turkey (<i>Alectura lathami</i>)	8	1967 ^b	2016 ^h		84	12	52	89	X	One of the three Australian Megapodes, the Mound Builders.
Brown Quail (<i>Coturnix ypsilophora</i>)	11	2004 ^d	2016 ^h		11	5	23	4	X	
Plumed Whistling-Duck (<i>Dendrocygna eytoni</i>)	205	2013 ^h	2016 ^h					19	X	
Black Swan (<i>Cygnus atratus</i>)	203	1923 ^a	2014 ^h	1	2	4	6	1	X	
Australian Wood Duck (<i>Chenonetta jubata</i>)	202	1968 ^b	2016 ^h		28	18	14	47	X	
Grey Teal (<i>Anas gracilis</i>)	211	2001 ^b	2014 ^h			2	2	2	X	
Chestnut Teal (<i>Anas castanea</i>)	210	2014 ^h	2014 ^h					1	X	
Pacific Black Duck (<i>Anas superciliosa</i>)	208	1953 ^a	2016 ^h	3	29	28	60	80	X	
Cotton Pygmy-Goose (<i>Nettapus pulchellus</i>)	200	2014 ^h	2014 ^h					1	X	
Hardhead (<i>Aythya australis</i>)	215	1953 ^a	2016 ^h	1	6	7	25	43	X	
Australasian Grebe (<i>Tachybaptus novaehollandiae</i>)	61	1956 ^a	2016 ^h	2	15	16	49	43	X	



MOGGILL CREEK CATCHMENT GROUP

P.O. Box 657, Kenmore. 4069

Bird Species Taxonomic Order ^g	BA No. ^e	First Record of Each Species within the Moggill Creek Catchment	Latest Record of Each Species within the Moggill Creek Catchment	Number of Records of Each Species within the 30 BA Surveys ^a 1909 - 1977	Number of Records of Each Species within the 261 BA Surveys ^c 1998 - 2016	Number of Records of Each Species within the 230 BQ Entries ^b 1966 - 2012	Number of Records of Each Species within the 62 UQ Surveys ^d 2001 - 2011	Number of Records of Each Species within the eBIRD Surveys ^h 2012 - 2016	Current 2017 MCC BIRD LIST Criteria: Observed in MCC in Last five years	Notes
Great Crested Grebe (<i>Podiceps cristatus</i>)	60	1991 ^b	2010 ^c		1	6	19		X	Bred at Gold Creek Reservoir in 2009 ^d
White-headed Pigeon (<i>Columba leucomela</i>)	28	1998 ^c	2016 ^h		9	13	3	4	X	
Spotted Dove (<i>Streptopelia chinensis</i>)	989	1930 ^a	2016 ^h	1	12	13		17	X	Introduced from Asia. It is a feral species, first introduced to Melbourne in 1860
Brown Cuckoo-Dove (<i>Macropygia amboinensis</i>)	29	1945 ^a	2016 ^h	1	49	14	54	76	X	
Emerald Dove (<i>Chalcophaps indica</i>)	33	1945 ^a	2016 ^h	1	5	7	19	11	X	
Common Bronzewing (<i>Phaps chalcoptera</i>)	34	2004 ^d	2016 ^h		1	1	4	4	X	
Crested Pigeon (<i>Ocyphaps lophotes</i>)	43	1966 ^b	2016 ^h	1	29	33	8	41	X	
Peaceful Dove (<i>Geopelia striata</i>)	30	1966 ^b	2016 ^h	1	47	20	58	48	X	
Bar-shouldered Dove (<i>Geopelia humeralis</i>)	32	1956 ^a	2016 ^h	2	79	23	57	80	X	
Wonga Pigeon (<i>Leucosarcia picata</i>)	44	1956 ^a	2016 ^h	1	42	12	57	41	X	
Wompoo Fruit-Dove (<i>Ptilinopus magnificus</i>)	25	2000 ^c	2016 ^h		5		2	1	X	Photo by Ed Frazer at Brookfield in 2016.
Rose-crowned Fruit-Dove (<i>Ptilinopus regina</i>)	21	2004 ^d	2016 ^h		15	4	14	22	X	
Topknot Pigeon (<i>Lopholaimus antarcticus</i>)	27	2000 ^c	2016 ^h		7	6	3	6	X	



MOGGILL CREEK CATCHMENT GROUP

P.O. Box 657, Kenmore. 4069

Bird Species Taxonomic Order ^g	BA No. ^e	First Record of Each Species within the Moggill Creek Catchment	Latest Record of Each Species within the Moggill Creek Catchment	Number of Records of Each Species within the 30 BA Surveys ^a 1909 - 1977	Number of Records of Each Species within the 261 BA Surveys ^c 1998 - 2016	Number of Records of Each Species within the 230 BQ Entries ^b 1966 - 2012	Number of Records of Each Species within the 62 UQ Surveys ^d 2001 - 2011	Number of Records of Each Species within the eBIRD Surveys ^h 2012 - 2016	Current 2017 MCC BIRD LIST Criteria: Observed in MCC in Last five years	Notes
Tawny Frogmouth (<i>Podargus strigoides</i>)	313	1930 ^a	2016 ^h	2	15	11	1	4	X	
Marbled Frogmouth (<i>Podargus ocellatus</i>)	314	2013	2013					2	X	
White-throated Nightjar (<i>Eurostopodus mystacalis</i>)	330	2000 ^c	2016 ^h		3	6	1	1	X	LEAST CONCERN (QG-DERM)
Australian Owlet-Nightjar (<i>Aegotheles cristatus</i>)	317	1998 ^c	2016 ^h		4	2	3	4	X	
White-throated Needletail (<i>Hirundapus caudacutus</i>)	334	1940 ^a	2016 ^h	5	11	8	1	6	X	JAMBA, CAMBA, ROKAMBA; Marine (AG-EPBC); THREATENED (BCC) Breed Siberia.
Australasian Darter (<i>Anhinga novaehollandiae</i>)	101	1945 ^a	2016 ^h	4	7	7	32	7	X	
Little Pied Cormorant (<i>Microcarbo melanoleucos</i>)	100	1923 ^a	2016 ^h	4	13	18	31	43	X	
Great Cormorant (<i>Phalacrocorax carbo</i>)	96	1945 ^a	2016 ^h	2	2	9	7	17	X	
Little Black Cormorant (<i>Phalacrocorax sulcirostris</i>)	97	1956 ^a	2016 ^h	3	7	11	53	58	X	
Pied Cormorant (<i>Phalacrocorax varius</i>)	99	1945 ^a	2016 ^h	2		4		2	X	
Australian Pelican (<i>Pelecanus conspicillatus</i>)	106	2001 ^c	2016 ^h		2	2	3	2	X	
Black Bittern (<i>Ixobrychus flavicollis</i>)	196	2013 ^h	2013 ^h					1	X	
White-necked Heron (<i>Ardea pacifica</i>)	189	1968 ^b	2009 ^d			5	4	9	X	



MOGGILL CREEK CATCHMENT GROUP

P.O. Box 657, Kenmore. 4069

Bird Species Taxonomic Order ^g	BA No. ^e	First Record of Each Species within the Moggill Creek Catchment	Latest Record of Each Species within the Moggill Creek Catchment	Number of Records of Each Species within the 30 BA Surveys ^a 1909 - 1977	Number of Records of Each Species within the 261 BA Surveys ^c 1998 - 2016	Number of Records of Each Species within the 230 BQ Entries ^b 1966 - 2012	Number of Records of Each Species within the 62 UQ Surveys ^d 2001 - 2011	Number of Records of Each Species within the eBIRD Surveys ^h 2012 - 2016	Current 2017 MCC BIRD LIST Criteria: Observed in MCC in Last five years	Notes
Eastern Great Egret (<i>Ardea modesta</i>)	187	1971 ^b	2016 ^h		2	4	8	17	X	
Intermediate Egret (<i>Ardea intermedia</i>)	186	2004 ^d	2016 ^h		3	4	17	11	X	
Cattle Egret (<i>Ardea ibis</i>)	977	1975 ^a	2016 ^h	1	14	20	1	48	X	Marine (AG-EPBC); THREATENED (BCC)
White-faced Heron (<i>Egretta novaehollandiae</i>)	188	1945 ^a	2016 ^h	2	14	17	45	47	X	
Little Egret (<i>Egretta garzetta</i>)	185	2014 ^h	2014 ^h					1	X	
Nankeen Night-Heron (<i>Nycticorax caledonicus</i>)	192	2015 ^h	2016 ^h					11	X	
Australian White Ibis (<i>Threskiornis molucca</i>)	179	1930 ^a	2016 ^h	2	5	10		39	X	Marine (AG-EPBC)
Straw-necked Ibis (<i>Threskiornis spinicollis</i>)	180	1930 ^a	2016 ^h	2	8	12	3	22	X	Marine (AG-EPBC)
Royal Spoonbill (<i>Platylea regina</i>)	181	2014 ^h	2016 ^h					1	X	
Yellow-billed Spoonbill (<i>Platylea flavipes</i>)	182	1975 ^a	2014 ^h	1		1	4	1	X	Highly dispersive and nomadic. Dispersed far inland when La Nina is operating.
Black-shouldered Kite (<i>Elanus axillaris</i>)	232	2016 ^h	2016 ^h					1	X	
Black Kite (<i>Milvus migrans</i>)	229	2013 ^h	2013 ^h					1	X	
Square-tailed Kite (<i>Lophoictinia isura</i>)	230	2000 ^c	2016 ^h		4	15	3	3	X	NEAR THREATENED (QG-DERM)



MOGGILL CREEK CATCHMENT GROUP

P.O. Box 657, Kenmore. 4069

Bird Species Taxonomic Order ^g	BA No. ^e	First Record of Each Species within the Moggill Creek Catchment	Latest Record of Each Species within the Moggill Creek Catchment	Number of Records of Each Species within the 30 BA Surveys ^a 1909 - 1977	Number of Records of Each Species within the 261 BA Surveys ^c 1998 - 2016	Number of Records of Each Species within the 230 BQ Entries ^b 1966 - 2012	Number of Records of Each Species within the 62 UQ Surveys ^d 2001 - 2011	Number of Records of Each Species within the eBIRD Surveys ^h 2012 - 2016	Current 2017 MCC BIRD LIST Criteria: Observed in MCC in Last five years	Notes
Pacific Baza (<i>Aviceda subcristata</i>)	234	1974 ^a	2016 ^h	2	22	24	16	26	X	
White-bellied Sea-Eagle (<i>Haliaeetus leucogaster</i>)	226	1926 ^a	2016 ^h	2	7	5	21	7	X	Marine (AG-EPBC); THREATENED (BCC)
Whistling Kite (<i>Haliastur sphenurus</i>)	228	1966 ^b	2014 ^h		3	2	1	4	X	Marine (AG-EPBC)
Brahminy Kite (<i>Haliastur indus</i>)	227	2009 ^c	2013 ^h		2	1		1	X	
Brown Goshawk (<i>Accipiter fasciatus</i>)	221	1966 ^b	2016 ^h		15	3	10	13	X	Marine (AG-EPBC)
Collared Sparrowhawk (<i>Accipiter cirrocephalus</i>)	222	1971 ^b	2014 ^h		5	5	6	6	X	
Grey Goshawk (<i>Accipiter novaehollandiae</i>)	220	1967 ^b	2016 ^h	1	14	12	12	19	X	NEAR THREATENED (QG-DERM)
Little Eagle <i>Hieraaetus morphnoides</i>	225		2016 ^h						X	
Wedge-tailed Eagle (<i>Aquila audax</i>)	224	1966 ^b	2016 ^h		12	9	5	3	X	
Spotted Harrier (<i>Circus assimilis</i>)	218	2014 ^h	2014 ^h					1	X	
Brown Falcon (<i>Falco berigora</i>)	239	2013	2013					1	X	
Australian Hobby (<i>Falco longipennis</i>)	235	2000 ^c	2012 ^b		3	1	1		X	
Peregrine Falcon (<i>Falco peregrinus</i>)	237	2009 ^d	2014 ^h			2	2	1	X	



MOGGILL CREEK CATCHMENT GROUP

P.O. Box 657, Kenmore. 4069

Bird Species Taxonomic Order ^g	BA No. ^e	First Record of Each Species within the Moggill Creek Catchment	Latest Record of Each Species within the Moggill Creek Catchment	Number of Records of Each Species within the 30 BA Surveys ^a 1909 - 1977	Number of Records of Each Species within the 261 BA Surveys ^c 1998 - 2016	Number of Records of Each Species within the 230 BQ Entries ^b 1966 - 2012	Number of Records of Each Species within the 62 UQ Surveys ^d 2001 - 2011	Number of Records of Each Species within the eBIRD Surveys ^h 2012 - 2016	Current 2017 MCC BIRD LIST Criteria: Observed in MCC in Last five years	Notes
Purple Swamphen (<i>Porphyrio porphyrio</i>)	58	1968 ^b	2016 ^h	1	4	11	8	28	X	Marine (AG-EPBC)
Lewin's Rail (<i>Rallus pectoralis</i>)	45	1984 ^b	2014 ^h		3	1		5	X	NEAR THREATENED (DERM); Significant (BCC). Gold Creek Reservoir 26 May 2012
Buff-banded Rail (<i>Galirallus philippensis</i>)	46	2010 ^c	2016 ^h		3	2		13	X	Marine (AG-EPBC): 23 March 2012, C. Read (MCCG) Boscombe Rd.
Spotless Crake (<i>Porzana tabuensis</i>)	51	2013	2013					1	X	
Pale vented Bush-hen (<i>Amaurornis moluccana</i>)	53	1964 ^a	2014 ^h	1	1	16	2	4	X	Marine (AG-EPBC).
Dusky Moorhen (<i>Gallinula tenebrosa</i>)	56	1967 ^b	2016 ^h	1	11	21	43	12	X	
Eurasian Coot (<i>Fulica atra</i>)	59	1909 ^a	2016 ^h	2	3	7	2	19	X	
Bush Stone-curlew (<i>Burhinus grallarius</i>)	174	1930 ^a	2016 ^h	2	8	8		17	X	
Black-fronted Dotterel (<i>Elseyornis melanops</i>)	144	1923 ^a	2006 ^c	2	1	1	6		No	Highly nomadic. Expected to visit when habitat right.
Masked Lapwing (<i>Vanellus miles</i>)	133	1909 ^a	2016 ^h	2	24	27	28	67	X	
Comb-crested Jacana (<i>Irediparra gallinacea</i>)	171	1910 ^a	2008 ^d	3	4	13	20		X	
Black-winged Stilt <i>Himantopus himantopus</i>	146	1977 ^h						1	No	Highly nomadic. Expected to visit when habitat right.
Latham's Snipe (<i>Gallinago hardwickii</i>)	168	2013	2016 ^h					2	X	



MOGGILL CREEK CATCHMENT GROUP

P.O. Box 657, Kenmore. 4069

Bird Species Taxonomic Order ^g	BA No. ^e	First Record of Each Species within the Moggill Creek Catchment	Latest Record of Each Species within the Moggill Creek Catchment	Number of Records of Each Species within the 30 BA Surveys ^a 1909 - 1977	Number of Records of Each Species within the 261 BA Surveys ^c 1998 - 2016	Number of Records of Each Species within the 230 BQ Entries ^b 1966 - 2012	Number of Records of Each Species within the 62 UQ Surveys ^d 2001 - 2011	Number of Records of Each Species within the eBIRD Surveys ^h 2012 - 2016	Current 2017 MCC BIRD LIST Criteria: Observed in MCC in Last five years	Notes
Black-breasted Button-quail <i>(Turnix melanogaster)</i>	17	2007 ^b	2014 ^h		1	7		1	X	VULNERABLE: ranked as a critical priority (AG-EPBC, QG-DERM).
Painted Button-quail <i>(Turnix varius)</i>	14	2002 ^b	2016 ^h		3	3	9	6	X	17 Apr 2011, Haven Rd Upper Brookfield, Douglas Dow, 5 birds in single group
Red-backed Button-quail <i>(Turnix maculosus)</i>		2005 ^b	2005 ^b			5			No	Doug Dow reported 10-12 Birds. 5th sighting in 5 months
Glossy Black-Cockatoo <i>(Calyptorhynchus lathami)</i>	265	2014 ^h	2016 ^h					1	X	Pacey Road, Land For Wildlife, Cody Hochen, March 2015.
Red-tailed Black-Cockatoo <i>(Calyptorhynchus banksii)</i>	264	2001 ^c	2010 ^c		3	2			No	Probably Glossy Black Cockatoos, Greg Roberts, 24 April 2012.
Yellow-tailed Black-Cockatoo <i>(Calyptorhynchus funereus)</i>	267	2000 ^c	2016 ^h		13	8	21	17	X	
Major Mitchell's Cockatoo <i>(Cacatua leadbeateri)</i>	270	2013	2016 ^h					7	X	
Galah <i>(Eolophus roseicapillus)</i>	273	1998 ^c	2016 ^h		25	13	10	37	X	
Long-billed Corella <i>(Cacatua tenuirostris)</i>	272	2013 ^h	2013 ^h					1	X	
Little Corella <i>(Cacatua sanguinea)</i>	271	2001 ^d	2016 ^h			2	7	1	X	
Sulphur-crested Cockatoo <i>(Cacatua galerita)</i>	269	1986 ^b	2016 ^h		173	29	61	141	X	
Rainbow Lorikeet <i>(Trichoglossus haematodus)</i>	254	1930 ^a	2016 ^h	1	124	27	60	138	X	
Scaly-breasted Lorikeet <i>(Trichoglossus chlorolepidotus)</i>	256	1930 ^a	2016 ^h	4	84	27	45	54	X	



MOGGILL CREEK CATCHMENT GROUP

P.O. Box 657, Kenmore. 4069

Bird Species Taxonomic Order ^g	BA No. ^e	First Record of Each Species within the Moggill Creek Catchment	Latest Record of Each Species within the Moggill Creek Catchment	Number of Records of Each Species within the 30 BA Surveys ^a 1909 - 1977	Number of Records of Each Species within the 261 BA Surveys ^c 1998 - 2016	Number of Records of Each Species within the 230 BQ Entries ^b 1966 - 2012	Number of Records of Each Species within the 62 UQ Surveys ^d 2001 - 2011	Number of Records of Each Species within the eBIRD Surveys ^h 2012 - 2016	Current 2017 MCC BIRD LIST Criteria: Observed in MCC in Last five years	Notes
Musk Lorikeet <i>(Glossopsitta concinna)</i>	258	1998 ^c	2013 ^h		6	8		7	X	Large flocks in Brisbane July 2009 to June 2010, due to severe drought, El Nino.
Little Lorikeet <i>(Glossopsitta pusilla)</i>	260	1910 ^a	2016 ^h	4	26	15	35	13	X	
Swift Parrot <i>(Lathamus discolor)</i>	309	1966	2012 ^b			15			X	
Australian King-Parrot <i>(Alisterus scapularis)</i>	281	1956 ^a	2016 ^h	3	50	30	58	61	X	
Crimson Rosella <i>(Platycercus elegans)</i>	282	1926 ^a	2007 ^c	2	3	2	1	1	X	
Pale-headed Rosella <i>(Platycercus adscitus)</i>	286	1926 ^a	2016 ^h	5	86	36	61	67	X	
Turquoise Parrot <i>Neophema pulchella</i>	302	2016 ^h	2016 ^h					1	X	
Pheasant Coucal <i>(Centropus phasianinus)</i>	349	1910 ^a	2016 ^h	4	42	25	40	48	X	
Eastern Koel <i>(Eudynamys orientalis)</i>	347	1909 ^a	2016 ^h	5	21	23	7	37	X	Marine (AG-EPBC)
Channel-billed Cuckoo <i>(Scythrops novaehollandiae)</i>	348	-1953 ^a	2016 ^h	2	39	11	20	52	X	Marine (AG-EPBC);
Horsfield's Bronze-Cuckoo <i>(Chalcites basalis)</i>	342	1930 ^a	2016 ^h	2	6	7		4	X	Marine (AG-EPBC);
Shining Bronze-Cuckoo <i>(Chalcites lucidus)</i>	344	1968 ^b	2016 ^h	1	31	8	58	20	X	Marine (AG-EPBC)
Little Bronze-Cuckoo <i>(Chrysococcyx minutillus)</i>	345	2014 ^h	2016 ^h					6	X	



MOGGILL CREEK CATCHMENT GROUP

P.O. Box 657, Kenmore. 4069

Bird Species Taxonomic Order ^g	BA No. ^e	First Record of Each Species within the Moggill Creek Catchment	Latest Record of Each Species within the Moggill Creek Catchment	Number of Records of Each Species within the 30 BA Surveys ^a 1909 - 1977	Number of Records of Each Species within the 261 BA Surveys ^c 1998 - 2016	Number of Records of Each Species within the 230 BQ Entries ^b 1966 - 2012	Number of Records of Each Species within the 62 UQ Surveys ^d 2001 - 2011	Number of Records of Each Species within the eBIRD Surveys ^h 2012 - 2016	Current 2017 MCC BIRD LIST Criteria: Observed in MCC in Last five years	Notes
Pallid Cuckoo (<i>Cacomantis pallidus</i>)	337	1910 ^a	2014 ^h	3	3	1		1	X	
Fan-tailed Cuckoo (<i>Cacomantis flabelliformis</i>)	338	1930 ^a	2016 ^h	1	66	14	52	71	X	Marine (AG-EPBC)
Brush Cuckoo (<i>Cacomantis variolosus</i>)	339	1971 ^a	2016 ^h	1	33	8	18	13	X	
Oriental Cuckoo (<i>Cuculus optatus</i>)	336	1975 ^a	2014 ^h	2	2	4		1	X	JAMBA, CAMBA, ROKAMBA; Marine (AG-EPBC)
Powerful Owl (<i>Ninox strenua</i>)	248	1998 ^c	2016 ^h		8	4	1	2	X	VULNERABLE (QG-DERM).
Southern Boobook (<i>Ninox novaeseelandiae</i>)	242	1909 ^a	2016 ^h	3	11	6		19	X	Marine (AG-EPBC);
Barn Owl (<i>Tyto javanica</i>)	249	2014 ^h	2014 ^h					1	X	
Australian Masked-Owl (<i>Tyto novaehollandiae</i>)	250	2013 ^h	2013 ^h					2	X	
Azure Kingfisher (<i>Ceyx azureus</i>)	319	1910 ^a	2016 ^h	4	9	16	23	30	X	River Kingfisher
Laughing Kookaburra (<i>Dacelo novaeguineae</i>)	322	1910 ^a	2016 ^h	7	152	34	61	128	X	Tree Kingfisher
Forest Kingfisher (<i>Todiramphus macleayii</i>)	324	1910 ^a	2016 ^h	5	18	17	35	32	X	Marine (AG-EPBC); Tree Kingfisher
Sacred Kingfisher (<i>Todiramphus sanctus</i>)	326	1926 ^a	2016 ^h	4	44	16	17	52	X	Marine (AG-EPBC), Tree Kingfisher
Rainbow Bee-eater (<i>Merops ornatus</i>)	329	1926 ^a	2016 ^h	4	18	17	17	7	X	Marine (AG-EPBC); THREATENED (BCC); 13-Feb-2012



MOGGILL CREEK CATCHMENT GROUP

P.O. Box 657, Kenmore. 4069

Bird Species Taxonomic Order ^g	BA No. ^e	First Record of Each Species within the Moggill Creek Catchment	Latest Record of Each Species within the Moggill Creek Catchment	Number of Records of Each Species within the 30 BA Surveys ^a 1909 - 1977	Number of Records of Each Species within the 261 BA Surveys ^c 1998 - 2016	Number of Records of Each Species within the 230 BQ Entries ^b 1966 - 2012	Number of Records of Each Species within the 62 UQ Surveys ^d 2001 - 2011	Number of Records of Each Species within the eBIRD Surveys ^h 2012 - 2016	Current 2017 MCC BIRD LIST Criteria: Observed in MCC in Last five years	Notes
Dollarbird (<i>Eurystomus orientalis</i>)	318	1909 ^a	2016 ^h	6	18	20	4	11	X	Marine (AG-EPBC);
Noisy Pitta (<i>Pitta versicolor</i>)	352	1968 ^b	2016 ^h		1	2	10	17	X	Marine (AG-EPBC); Nick Leseberg (Wildiaries)
White-throated Treecreeper (<i>Cormobates leucophaea</i>)	558	2010 ^a	2016 ^h	5	131	14	62	89	X	
Green Catbird (<i>Ailuroedus crassirostris</i>)	676	2007 ^c	2016 ^h		3	1	7	4	X	Brookfield, Adavale St. Three individuals stayed for month.
Regent Bowerbird (<i>Sericulus chrysocephalus</i>)	684	1930 ^a	2014 ^h	1	4	6	8	1	X	
Satin Bowerbird (<i>Ptilonorhynchus violaceus</i>)	679	1955 ^a	2016 ^h	1	9	6	29	9	X	"Fairly common in Kenmore & Brookfield." Vernon (1968)
Superb Fairy-wren (<i>Malurus cyaneus</i>)	529	1948	2016 ^h	1	14	9	2	26	X	
Red-backed Fairy-wren (<i>Malurus melanocephalus</i>)	541	1930 ^a	2016 ^h	5	43	25	58	60	X	
Variagated Fairy-wren (<i>Malurus lamberti</i>)	536	1930 ^a	2016 ^h	2	94	14	56	47	X	
White-browed Scrubwren (<i>Sericornis frontalis</i>)	488	1926 ^a	2016 ^h	6	107	13	62	67	X	
Large-billed Scrubwren (<i>Sericornis magnirostra</i>)	494	1986 ^b	2016 ^h		38	9	59	39	X	
Speckled Warbler (<i>Chthonicola sagittata</i>)	504	1977 ^h	2009 ^c		1	2			X	
Weebill (<i>Smicronis brevirostris</i>)	465	1930 ^a	2010 ^c	1	4	4				



MOGGILL CREEK CATCHMENT GROUP

P.O. Box 657, Kenmore. 4069

Bird Species Taxonomic Order ^g	BA No. ^e	First Record of Each Species within the Moggill Creek Catchment	Latest Record of Each Species within the Moggill Creek Catchment	Number of Records of Each Species within the 30 BA Surveys ^a 1909 - 1977	Number of Records of Each Species within the 261 BA Surveys ^c 1998 - 2016	Number of Records of Each Species within the 230 BQ Entries ^b 1966 - 2012	Number of Records of Each Species within the 62 UQ Surveys ^d 2001 - 2011	Number of Records of Each Species within the eBIRD Surveys ^h 2012 - 2016	Current 2017 MCC BIRD LIST Criteria: Observed in MCC in Last five years	Notes
Little Wattlebird <i>Anthochaera chrysoptera</i>	710		2016 ^h						X	
Brown Gerygone <i>(Gerygone mouki)</i>	454	2000 ^c	2015 ^h		5	1		4	X	
White-throated Gerygone <i>(Gerygone albogularis)</i>	453	1930 ^a	2016 ^h	4	29	16	46	19	X	
Yellow-rumped Thornbill <i>(Acanthiza chrysorrhoa)</i>	486	2013 ^h	2013 ^h					1	X	
Striated Thornbill <i>(Acanthiza lineata)</i>	470	1930 ^a	2014 ^h	1	5	6	21	4	X	
Yellow Thornbill <i>(Acanthiza nana)</i>	471	1953 ^a	2013 ^h	1	8	2	3	2	X	
Buff-rumped Thornbill <i>(Acanthiza reguloides)</i>	484	1930 ^a	2015 ^h	2	6	2	3	2	X	
Brown Thornbill <i>(Acanthiza pusilla)</i>	475	1930 ^a	2016 ^h	2	129	17	62	82	X	
Spotted Pardalote <i>(Pardalotus punctatus)</i>	565	1930 ^a	2016 ^h	2	75	12	49	39	X	
Striated Pardalote <i>(Pardalotus striatus)</i>	976	1910 ^a	2016 ^h	6	109	28	58	99	X	
Eastern Spinebill <i>(Acanthorhynchus tenuirostris)</i>	591	1926 ^a	2016 ^h	2	6	9	21	11	X	
Lewin's Honeyeater <i>(Meliphaga lewinii)</i>	605	2010 ^a	2016 ^h	13	211	37	62	153	X	
Yellow-faced Honeyeater <i>(Lichenostomus chrysops)</i>	614	1926 ^a	2016 ^h	5	122	17	62	65	X	



MOGGILL CREEK CATCHMENT GROUP

P.O. Box 657, Kenmore. 4069

Bird Species Taxonomic Order ^g	BA No. ^e	First Record of Each Species within the Moggill Creek Catchment	Latest Record of Each Species within the Moggill Creek Catchment	Number of Records of Each Species within the 30 BA Surveys ^a 1909 - 1977	Number of Records of Each Species within the 261 BA Surveys ^c 1998 - 2016	Number of Records of Each Species within the 230 BQ Entries ^b 1966 - 2012	Number of Records of Each Species within the 62 UQ Surveys ^d 2001 - 2011	Number of Records of Each Species within the eBIRD Surveys ^h 2012 - 2016	Current 2017 MCC BIRD LIST Criteria: Observed in MCC in Last five years	Notes
Bell Miner <i>(Manorina melanophrys)</i>	633	1945 ^a	2016 ^h	2	63	19	62	95	X	
Noisy Miner <i>(Manorina melanocephala)</i>	634	1910 ^a	2016 ^h	10	153	39	62	123	X	
Scarlet Honeyeater <i>(Myzomela sanguinolenta)</i>	586	1910 ^a	2016 ^h	10	116	25	55	52	X	
Brown Honeyeater <i>(Lichmera indistincta)</i>	597	1926 ^a	2016 ^h	3	17	13	23	37	X	
Black-chinned Honeyeater <i>(Melithreptus gularis)</i>	580	1910 ^a	2009 ^c	1	1		1		X	
White-throated HE <i>(Melithreptus albogularis)</i>	579	1956 ^a	2016 ^h	2	39	16	45	39	X	
White-naped Honeyeater <i>(Melithreptus lunatus)</i>	578	1926 ^a	2016 ^h	6	24	5	54	19	X	
White-cheeked Honeyeater <i>(Phylidonyris nigra)</i>	632	1988 ^b	2013 ^h					1	X	
Blue-faced Honeyeater <i>(Entomyzon cyanotis)</i>	641	1930 ^a	2016 ^h	2	14	9	9	24	X	
Noisy Friarbird <i>(Philemon corniculatus)</i>	645	1936 ^a	2016 ^h	6	91	15	50	84	X	
Little Friarbird <i>(Philemon citreogularis)</i>	646	1930 ^a	2016 ^h	2	8	13	1	24	X	
Striped Honeyeater <i>(Plectorhyncha lanceolata)</i>	585	1985 ^h	2016 ^h		6	3	4	9	X	
Grey-crowned Babbler <i>(Pomatostomus temporalis)</i>	443	1930 ^a	Unknown	3	1	4			LOCALLY EXTINCT	Common in Brookfield in the 1960's, 1970's & 1980's. Vernon (1968)



MOGGILL CREEK CATCHMENT GROUP

P.O. Box 657, Kenmore. 4069

Bird Species Taxonomic Order ^g	BA No. ^e	First Record of Each Species within the Moggill Creek Catchment	Latest Record of Each Species within the Moggill Creek Catchment	Number of Records of Each Species within the 30 BA Surveys ^a 1909 - 1977	Number of Records of Each Species within the 261 BA Surveys ^c 1998 - 2016	Number of Records of Each Species within the 230 BQ Entries ^b 1966 - 2012	Number of Records of Each Species within the 62 UQ Surveys ^d 2001 - 2011	Number of Records of Each Species within the eBIRD Surveys ^h 2012 - 2016	Current 2017 MCC BIRD LIST Criteria: Observed in MCC in Last five years	Notes
Eastern Whipbird (<i>Psophodes olivaceus</i>)	421	1930 ^a	2016 ^h	9	194	31	62	136	X	
Spotted Quail-Thrush (<i>Cinclosoma punctatum</i>)	436	1930 ^a	2014 ^h	2		3		2	X	
Varied Sittella (<i>Daphoenositta chrysoptera</i>)	549	1930 ^a	2016 ^h	1	16	6	39	17	X	
Black-faced Cuckoo-shrike (<i>Coracina novaehollandiae</i>)	424	1910 ^a	2016 ^h	9	111	34	47	74	X	Marine (AG-EPBC)
White-bellied Cuckoo-shrike (<i>Coracina papuensis</i>)	425	1930 ^a	2016 ^h	3	10	4	24	11	X	Marine (AG-EPBC)
Barred Cuckoo-shrike (<i>Coracina lineata</i>)	428	1954 ^a	2016 ^h	3	6	8	4	4	X	
Cicadabird (<i>Coracina tenuirostris</i>)	429	1930 ^a	2016 ^h	5	61	16	25	67	X	Marine (AG-EPBC):
White-winged Triller (<i>Lalage sueurii</i>)	430		2015 ^h					2	X	
Varied Triller (<i>Lalage leucomela</i>)	431	1926 ^a	2016 ^h	2	31	13	35	13	X	
Crested Shrike-tit (<i>Falcunculus frontatus</i>)	416	1936 ^a	2014 ^h	2	3	4	11	1	X	
Golden Whistler (<i>Pachycephala pectoralis</i>)	398	1930 ^a	2016 ^h	8	117	18	51	63	X	
Rufous Whistler (<i>Pachycephala rufiventris</i>)	401	1910 ^a	2016 ^h	9	69	20	59	73	X	
Little Shrike-thrush (<i>Colluricincla megarrhyncha</i>)	413	1930 ^a	2016 ^h	2	64	15	56	54	X	



MOGGILL CREEK CATCHMENT GROUP

P.O. Box 657, Kenmore. 4069

Bird Species Taxonomic Order ^g	BA No. ^e	First Record of Each Species within the Moggill Creek Catchment	Latest Record of Each Species within the Moggill Creek Catchment	Number of Records of Each Species within the 30 BA Surveys ^a 1909 - 1977	Number of Records of Each Species within the 261 BA Surveys ^c 1998 - 2016	Number of Records of Each Species within the 230 BQ Entries ^b 1966 - 2012	Number of Records of Each Species within the 62 UQ Surveys ^d 2001 - 2011	Number of Records of Each Species within the eBIRD Surveys ^h 2012 - 2016	Current 2017 MCC BIRD LIST Criteria: Observed in MCC in Last five years	Notes
Grey Shrike-thrush (<i>Colluricincla harmonica</i>)	408	1926 ^a	2016 ^h	7	112	22	62	119	X	
Australasian Figbird (<i>Sphecotheres vieilloti</i>)	432	1930 ^a	2016 ^h	3	74	31	52	84	X	
Olive-backed Oriole (<i>Oriolus sagittatus</i>)	671	1930 ^a	2016 ^h	2	107	22	58	78	X	
White-breasted Woodswallow (<i>Artamus leucorhynchus</i>)	543	2013 ^h	2016 ^h					2	X	
Dusky Woodswallow (<i>Artamus cyanopterus</i>)	547	2014 ^h	2014 ^h					2	X	
Grey Butcherbird (<i>Cracticus torquatus</i>)	702	1910 ^a	2016 ^h	6	118	28	59	73	X	
Pied Butcherbird (<i>Cracticus nigrogularis</i>)	700	1930 ^a	2016 ^h	4	92	33	60	84	X	
Magpie-lark (<i>Grallina cyanoleuca</i>)	415	1910 ^a	2016 ^h	11	42	29	50	60	X	
Australian Magpie (<i>Cracticus tibicen</i>)	705	1910 ^a	2016 ^h	7	125	32	56	113	X	
Pied Currawong (<i>Strepera graculina</i>)	694	1930 ^a	2016 ^h	3	153	24	61	104	X	
Spangled Drongo (<i>Dicrurus bracteatus</i>)	673	1930 ^a	2016 ^h	5	100	22	46	95	X	
Rufous Fantail (<i>Rhipidura rufifrons</i>)	362	1930 ^a	2016 ^h	2	57	13	39	43	X	Marine (AG-EPBC); THREATENED (BCC):
Grey Fantail (<i>Rhipidura albiscapa</i>)	361	1930 ^a	2016 ^h	6	115	15	45	69	X	"In winter, very common in Kenmore & Brookfield." Vernon (1968)



MOGGILL CREEK CATCHMENT GROUP

P.O. Box 657, Kenmore. 4069

Bird Species Taxonomic Order ^g	BA No. ^e	First Record of Each Species within the Moggill Creek Catchment	Latest Record of Each Species within the Moggill Creek Catchment	Number of Records of Each Species within the 30 BA Surveys ^a 1909 - 1977	Number of Records of Each Species within the 261 BA Surveys ^c 1998 - 2016	Number of Records of Each Species within the 230 BQ Entries ^b 1966 - 2012	Number of Records of Each Species within the 62 UQ Surveys ^d 2001 - 2011	Number of Records of Each Species within the eBIRD Surveys ^h 2012 - 2016	Current 2017 MCC BIRD LIST Criteria: Observed in MCC in Last five years	Notes
Willie Wagtail (<i>Rhipidura leucophrys</i>)	364	1910 ^a	2016 ^h	9	45	25	52	74	X	
Torresian Crow (<i>Corvus orru</i>)	692	1948 ^a	2016 ^h	3	140	37	59	123	X	
Apostlebird <i>Struthidea cinerea</i>	675	1976 ^h	Unknown						LOCALLY EXTINCT	1976 sighting at Rafting Ground Reserve. Resident in Moggill in 2015.
Leaden Flycatcher (<i>Myiagra rubecula</i>)	365	-1930 ^a	2016 ^h	4	27	8	40	22	X	
Satin Flycatcher (<i>Myiagra cyanoleuca</i>)	366	2005 ^d	2011 ^c		7		2		X	THREATENED (BCC); Breeds in south- eastern Australia, Tasmania.
Restless Flycatcher (<i>Myiagra inquieta</i>)	728	1968 ^b	2016 ^h		3	4	4	1	X	
White-eared Monarch (<i>Carterornis leucotis</i>)	376	1973 ^a	2016 ^h	1	18	14	22	7	X	
Black-faced Monarch (<i>Monarcha melanopsis</i>)	373	1910 ^a	2016 ^h	3	33	6	33	15	X	Marine (AG-EPBC); THREATENED (BCC);
Spectacled Monarch (<i>Symposiachrus trivirgatus</i>)	375	1930 ^a	2016 ^h	1	36	8	52	39	X	Marine (AG-EPBC); THREATENED (BCC):
Paradise Riflebird (<i>Ptiloris paradiseus</i>)	686	2016 ^h	2016 ^h					2	X	Photographed at Adavale St Brookfield on 30 May 2016.
Jacky Winter (<i>Microeca fascinans</i>)	377	1910 ^a	1983 ^b	4		3			LOCALLY EXTINCT	Locally extinct.: "Fairly common in Brookfield." Vernon (1968, p75)
Rose Robin (<i>Petroica rosea</i>)	384	1930 ^a	2016 ^h	3	45	13	26	20	X	
Hooded Robin <i>Melanodryas cucullata</i>	385	2010 ^c	2016 ^c		2			1	X	One sighted in July 2010 on Haven Rd. Last sighting 12 Dec 2016 at Brookfield.



MOGGILL CREEK CATCHMENT GROUP

P.O. Box 657, Kenmore. 4069

Bird Species Taxonomic Order ^g	BA No. ^e	First Record of Each Species within the Moggill Creek Catchment	Latest Record of Each Species within the Moggill Creek Catchment	Number of Records of Each Species within the 30 BA Surveys ^a 1909 - 1977	Number of Records of Each Species within the 261 BA Surveys ^c 1998 - 2016	Number of Records of Each Species within the 230 BQ Entries ^b 1966 - 2012	Number of Records of Each Species within the 62 UQ Surveys ^d 2001 - 2011	Number of Records of Each Species within the eBIRD Surveys ^h 2012 - 2016	Current 2017 MCC BIRD LIST Criteria: Observed in MCC in Last five years	Notes
Eastern Yellow Robin (<i>Eopsaltria australis</i>)	392	1910 ^a	2016 ^h	13	137	20	62	104	X	
Pale-Yellow Robin (<i>Tregellasia capito</i>)	396	2014 ^h	2014 ^h					1	X	
Golden-headed Cisticola (<i>Cisticola exilis</i>)	525	1910 ^a	2016 ^h	5	11	12	8	2	X	
Australian Reed-Warbler (<i>Acrocephalus australis</i>)	524	2014 ^h	2014 ^h					1	x	
Tawny Grassbird (<i>Megalurus timoriensis</i>)	523	1989 ^b	2016 ^h		8	6	17	4	X	
Little Grassbird (<i>Megalurus gramineus</i>)	522	2013 ^h	2016 ^h					1	X	Photographed at Adavale St Brookfield in 2016
Rufous Songlark (<i>Cincloramphs mathewsi</i>)	509	2012 ^h	2012 ^h					1	x	
Silvereye (<i>Zosterops lateralis</i>)	574	1909 ^a	2016 ^h	8	121	36	62	78	X	Marine (AG-EPBC);
Welcome Swallow (<i>Hirundo neoxena</i>)	357	1910 ^a	2016 ^h	6	61	29	62	74	X	Marine (AG-EPBC)
Fairy Martin (<i>Petrochelidon ariel</i>)	360	1910 ^a	2014 ^h	4	1	8	2	1	X	
Tree Martin (<i>Petrochelidon nigricans</i>)	359	1966 ^b	2016 ^h	1	5	10	10	7	X	Marine (AG-EPBC)
Russet-tailed Thrush (<i>Zoothera heinei</i>)	780	2004 ^d	2016 ^h		2	5	14	4	X	
Common Myna (<i>Acridotheres tristis</i>)	998	1998 ^c	2016 ^h		3	4		4	X	



MOGGILL CREEK CATCHMENT GROUP

P.O. Box 657, Kenmore. 4069

Bird Species Taxonomic Order ^g	BA No. ^e	First Record of Each Species within the Moggill Creek Catchment	Latest Record of Each Species within the Moggill Creek Catchment	Number of Records of Each Species within the 30 BA Surveys ^a 1909 - 1977	Number of Records of Each Species within the 261 BA Surveys ^c 1998 - 2016	Number of Records of Each Species within the 230 BQ Entries ^b 1966 - 2012	Number of Records of Each Species within the 62 UQ Surveys ^d 2001 - 2011	Number of Records of Each Species within the eBIRD Surveys ^h 2012 - 2016	Current 2017 MCC BIRD LIST Criteria: Observed in MCC in Last five years	Notes
Mistletoebird (<i>Dicaeum hirundinaceum</i>)	564	1930 ^a	2016 ^h	4	26	25	51	11	X	
Double-barred Finch (<i>Taeniopygia bichenovii</i>)	655	1930 ^a	2016 ^h	5	12	8	1	9	X	
Red-browed Finch (<i>Neochmia temporalis</i>)	662	1926 ^a	2016 ^h	9	100	23	62	74	X	
Chestnut-breasted Mannikin (<i>Lonchura castaneothorax</i>)	657	2013	2016 ^h					2	X	
TOTAL NUMBER OF SPECIES FROM EACH DOCUMENTED SOURCE			210	125	163	169	150	189	203	

FOOTNOTES:

a [Database of Birdlife Australia pre 1977](#), 142 species, encompassing only those surveys from the database within the Moggill Creek Catchment.

b [Database of Birds Queensland](#), 203 species, many of BQ bird lists come from BQ outings over the past 40 years, and individually reported sightings during the entire outing. The attempt was made to use only data from within the Moggill Creek Catchment but the manner of its collection made this ambiguous in many cases.

c [Database of Birdlife Australia](#), 198 species, acquired February and June 2012; there were 261 Birddata surveys within the Moggill Creek Catchment from August 1998 to January 2012; this database encompasses firstly those surveys completed between 1998 and 2002 which were reported in *The New Atlas of Australian Birds* (2003) and secondly, all reported surveys in the ten years from 2002 until 2012.

d [Database from The University of Queensland](#) (Hugh Possingham, Richard Fuller, Gordon Grigg), 153 species, 62 surveys conducted between September 2001 and May 2011 in locality of Gold Creek Reservoir and along Gold Creek Road, not included in any other database.

e [Birdlife Australia Numbers](#) have been allocated by the Royal Australian Ornithological Union. The numbers are now regulated by the Australian Bird and Bat Banding Scheme.

f [Other sources](#): Trip reports, individual sightings.

g [Systematics and Taxonomy of Australian Birds](#). (2008) Christidis, L. & Boles, W.F

h. The major international site: eBird. (This site subsumed Eremaea in 2014)



MOGGILL CREEK CATCHMENT GROUP

P.O. Box 657, Kenmore. 4069

LEGENDS:

- BA: BirdLife Australia - www.birdlife.org.au
BCC: Brisbane City Council
BQ: Birds Queensland
CAMBA: China-Australia Migratory Bird Agreement
JAMBA: Japan-Australia Migratory Bird Agreement
AG-EPBC: Australian Government Environment Protection and Biodiversity Conservation Act 1999 – Marine: migrate over water within distribution.
MCC: Moggill Creek Catchment. Map of Catchment available at: <http://www.moggillcreek.org/>
QG-DERM: Queensland Government Department of Environment and Resource Management
ROKAMBA: Republic of Korea-Australia Migratory Bird Agreement
Significant: In Brisbane City Council's Natural Assets Planning Scheme Policy denotes that the species listed is at risk of extinction within Brisbane City if future land use and management do not adequately accommodate their ecological needs.
UQ: The University of Queensland, Brisbane, Australia.

MAJOR DATA SOURCES FOR HISTORICAL BIRD LIST FOR THE MOGGILL CREEK CATCHMENT

- BIRDLIFE AUSTRALIA – BIRDATA – for sightings of birds within Australia - www.birdlife.org.au
BIRDS QUEENSLAND – DATA BASE for sightings of birds within Queensland - www.birdsqueensland.org.au
EREMAEA BIRDS–Bird Lists for sites throughout Australia and the world - www.ereamaea.com
THE UNIVERSITY OF QUEENSLAND GOLD CREEK RESERVOIR BIRD LIST – List compiled by Hugh Possingham and Richard Fuller from The University of Queensland.